Ref #	· Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	386	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:46
S2	87	S1 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:47
S3	726	. 713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:07
S4	. 121	S3 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:07
S5	197	S2 or S4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:10
S6	33	S5 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
<b>S7</b>	24	S6 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR _	ON	2006/01/03 09:06
S8	0	S7 and (fetch with message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:12

S9	. 0	S8 and (get with (request or response))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:12
S10		S7 and (proxy adj agent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S11	2	S7 and (agent)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S12	0	S7 and (prescribable adj action)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 16:13
S13	386	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S14	. 87	S13 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S15	727	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S16	121	S15 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22

	T		_			
S17	197	S14 or S16	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S18		S17 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S19	24	S18 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 08:22
S20	16	S19 and ((encod\$3 or encipher\$3 or encrypt\$3) with (network or tcp or ip or snmp or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:53
S21	2	"5651006".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 09:53
S22	76	snmp with ("version 1" or "v1")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2005/06/28 10:35
S23	4	S22 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 10:35
S24	1900	(encod\$3 with (((network or tcp or ip or snmp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 11:27

S25	280	S24 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 11:27
S26	11	S25 and ((encrypt\$3 or encipher\$3 or cryptograph\$6) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:22
S27	13015	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S28	37	S27 and (encod\$3 with (((network or snmp or tcp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:23
S29	10	S28 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2006/01/03 09:06
S30	100	("6468688" "4805324" "5745867" "5289471" "5400320" "5996020" "6272141" "6704323" "6055559" "6798763" "6437146" "5873071" "6044468" "6085237" "5949974" "6078646" "5561769" "5577204" "5704041" "5708964" "5778183" "5859975" "6041110" "6138162" "6173311" "6286040" "6385728" "6711613" "6728768" "6854011" "6058180" "6195424" "5790917" "6430610" "3573381" "4766534" "4845744" "5343468" "5497422" "5504743" "5548639" "5574931" "5586261" "5745680" "5822431" "5838790" "5870563" "5881243" "5905765" "5940390").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:39

		,	······································			
S31	72	S30 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:39
532		S31 and (encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:44
S33	2	"6424714".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 12:51
S34	2	"5870474".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:08
S35	. 2	"5481542".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:10
S36		"5420866".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:10
S37	46	snmp with ("proxy agent")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 10:58
S38	7	S37 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 11:29

S39	. 3	S38 and (agent with (software or application))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON .	2005/06/29 11:30
S40		("5870474" or "5678006" or "5651006").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 15:47
S41	2	"6188768".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 16:28
S42	444	380/255,269.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S43	. 87	S42 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2006/01/03 09:06
S44	869	713/150-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S45	127	S44 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S46	203	S43 or S45	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06

S47	34	S46 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S48	. 34	S46 and (encod\$3 with (text or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S49	. 24	S48 and ((cryptograph\$6 or encrypt\$3 or encipher\$3) with (encod\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S50	14185	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S51	14185	(double or twice) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S52	40	S51 and (encod\$3 with (((network or snmp or tcp) with protocol) or "simple network management protocol"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S53	10	S52 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:06
S54	5904	380/255,269.ccls. or 705/50-51. ccls. or 713/150-153,168,189,160. ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:02

	Γ	<u></u>	1			T
S55	654	S54 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S56	6317	(encod\$3 or wrap\$4 or encapsulat\$3) with (network or snmp or atm or tcp) with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:04
S57	667	S56 and ((cryptograph\$6 or encrypt\$3 or hash\$3) with (encod\$3 or encapsulat\$3 or wrap\$4))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:04
S58		S57 and ((reencod\$3 or reencapsulat\$3 or rewrap\$4) with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON .	2006/09/01 12:55
S59	5	S57 and S55	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:08
S60	10512	(encod\$3 with (encrypt\$3 or cryptograph\$6) with encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:56
S61	1841	S60 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:09
S62	6	S61 and (request\$3 with fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:13

	·			<u> </u>		
S63	6	(encod\$3 or encapsulat\$3) with snmp with tcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S64	. 1	S63 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S65	. 29	(translat\$3) with snmp with tcp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S66		S65 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:14
S67		encod\$3 with first with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:15
S68	450	S67 and (encod\$3 with (second or different) with protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR ·	ON	2006/09/01 12:15
S69		S68 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:29
S70	4	S69 and snmp	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:16

S71	139	snmp with (set adj request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:30
S72	. 85	S71 and (get adj request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:31
S73	10	S72 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:54
S74	188	(encod\$3 with snmp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:54
S75	10	S74 and ((encrypt\$3 or cryptograph\$3) with (packet or message or data))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:55
S76	. 0	S75 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR <sub>.</sub>	ON	2006/09/01 12:55
S77	. 17	S74 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	ON	2006/09/01 12:56
S78	0	S77 and ((reencod\$3 or reencapsulat\$3 or rewrap\$4) with (protocol or snmp))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 12:59

S79	58	(encod\$3 with (encrypt\$3 or cryptograph\$6) with (reencod\$3 or "re-encode" or "re-encoding"))	US-PGPUB; USPAT; USOCR; EPO;	OR	ON	2006/09/01 12:56
	_		DERWENT; IBM_TDB		011	2006/00/04 42 52
S80	. 5	S79 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S81	12813	((reencod\$3 or reencapsulat\$3 or rewrap\$4) or ((multiple or second\$3) adj (encod\$3 or encapsulat\$3 or wrap\$4)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
\$82	4826	S81 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:00
S83	107	S82 and ((cryptograph\$6 or encrypt\$3) with (message or data or packet))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:44
S84	0	twice with encod\$3 with (network adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45
S85		twice with encod\$3 with (snmp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45
S86	7	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 13:45

S87	190	encod\$3 with "without" with	US-PGPUB;	OR	ON	2006/09/01 16:47
		(decrypt\$3 or decipher\$3)	USPAT; USOCR; EPO; DERWENT; IBM_TDB			
S88	. 17	S87 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
589		(encapsulat\$3) with (encrypt\$3 or encipher\$3) with (packet or message or data) with (network adj protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
S90	0	S89 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/01 16:50
S91	4	("5870470" or "5678006").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 10:18
S92	. 4	("5870474" or "5678006").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 10:18
S93	. 11	("6571212" or "6101543" or "6385723" or "6675208" or "20010051996").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 13:51
S94	2	"6034963".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 12:27

S95	520	(encod\$3 with (network adj protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 12:27
S96	52	S95 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30
S97	5491	(encrypt\$3 or encipher\$3) with (encoded)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 12:54
S98	885	S97 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:09
S99	51	S98 and (encode with (encrypted or enciphered))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:05
S10 0	. 5	(multiple with (encrypt\$3 or encipher\$3) with (network adj protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:09
S10 1	234	((encrypt\$3 or encipher\$3) with (network adj protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:09
S10 2		S101 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30

S10 3	. 249	(tunnel adj mode) with ipsec	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30
S10 4	3	S103 and @ad<"19970626"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 13:30

2/14/2007 3:38:13 PM C:\Documents and Settings\ppich\My Documents\EAST\Workspaces\09446425.wsp

Page 14